Oak Park and River Forest High School District 200

201 North Scoville Avenue • Oak Park, IL 60302-2296

TO: Board of Education

FROM: Amy Hill, Director of Assessment and Research

DATE: September 28, 2012

RE: Results of 2012 Illinois Youth Survey


BACKGROUND

Since 2006, on an every-other-year basis, OPRFHS has administered the Illinois Youth Survey (IYS). Sophomores and seniors have completed the survey, which asks questions about a number of topics related to student health and safety. Of primary local interest have been students' responses related to alcohol and other drug use. This report provides a summary and visual displays of several key aspects of students' perceptions and self-reported substance use. The full data set from IYS is also attached for your review.

SUMMARY OF FINDINGS

2012 marked the fourth time OPRFHS has administered the IYS, and we are thus able to make some longitudinal comparisons. The number of respondents has increased over the years we have administered the survey. In 2006, 227 sophomores and 179 seniors completed the survey; in 2012 those numbers were 641 and 561, respectively. Beginning in 2010, we explicitly attempted to survey all students at each grade level rather than half of each class as was the IYS protocol for the previous two survey administrations.

Compared to last year, students' reported use of alcohol in the 30 days prior to taking the survey was unchanged among sophomores (41%) and was slightly higher among seniors (61%) (Figure 1). Rates of use among OPRFHS students continue to be higher than among their peers in the larger Cook County area.



"Past 30 Days" refers to the 30 days prior to when the students completed the survey. For OPRFHS students, that timeframe would have been March-April, 2012.

Among students who reported any alcohol use, most sophomores indicated they had used alcohol one or two times in the past 30 days; that rate was also the most common response among seniors who reported use in the past 30 days (Figures 2-3). Rates of use in the prior year were virtually the same as last year: 61% for sophomores and 75% for seniors (Figures 4-5).

Figure 2. Incidence of Alcohol Use, Past 30 Days, OPRFHS Grade 10 (2011-12)




Figure 3. Incidence of Alcohol Use, Past 30 Days, OPRFHS Grade 12 (2011-12)




Figure 4. Incidence of Alcohol Use, Past Year, Grade 10 (2011-12)





Figure 5. Incidence of Alcohol Use, Past Year, Grade 12 (2011-12)



Students' reported use of marijuana is somewhat higher among OPRFHS sophomores and lower among seniors than last year, while trends in the region indicate slight increases in reported use among students at both grade levels over the past four years (Figure 5).




Figure 7. Incidence of Marijuana Use, Past 30 Days, OPRFHS Grade 10 (2011-12)




Figure 8. Incidence of Marijuana Use, Past 30 Days, OPRFHS Grade 12 (2011-12)




Figure 9. Incidence of Marijuana Use, Past Year, Grade 10 (2011-12)





Figure 10. Incidence of Marijuana Use, Past Year, Grade 12 (2011-12)



Students were asked whether they had been drunk or high at school in the previous year; a smaller percentage of seniors and a slightly higher percentage of sophomores answered yes compared to last year, though positive responses among both groups have declined over the past four years (Figure 11). Note that the wording of the question does not provide specific information about **when** students were under the influence at school (e.g. during the school day, at evening events, dances, etc.).




Figure 12. Percent of OPRFHS Students Admitting to Being Drunk or High at School, Past Year, Grade 10 (2011-12)






Figure 13. Percent of OPRFHS Students Admitting to Being Drunk or High at School, Past Year, Grade 12 (2011-12)



The IYS asks students how many times in the past two weeks they have had five or more alcoholic drinks in a row. That question reflects the definition of binge drinking. Our students' rates of reporting binge drinking are lower, overall, compared to 2006, though there was no change among sophomore rates from last year to this year (Figure 14).



Figures 15 and 16 show how rates of substance use increased from sophomore year to senior year. Each bar represents one group of students surveyed at two points in their high school years. The blue portion of each bar shows the percent of students surveyed who reported in their sophomore year that they had used the substance one or more times in the previous 30 days; the red portion represents the **additional** percent of students surveyed who reported in their senior year that they had used the substance one or more times in the previous 30 days. For the Class of 2008, reported marijuana use was 1% lower when students were surveyed as seniors compared to their results as sophomores (Figure 16).

Figure 15. Percent of Students Reporting Alcohol Use, Past 30 Days







Figure 16. Percent of Students
Reporting Marijuana Use, Past 30 Days




¹ Note that these are group data, not <u>matched responses</u>. Students participating in their sophomore year are not necessarily the exact same students participating in their senior year, though given the number of participants at each grade level there is significant overlap between the two groups.



Figures 18-19 pertain to the survey question "In the past 30 days, what percent of students at your school do you think have had beer, wine, or hard liquor." Figure 18 shows how student responses were distributed across the answer options. For example, about 10% of sophomores responded that 41-50% of their peers had had beer, wine, or hard liquor in the previous 30 days. Compared to actual rates of use reported by sophomores and seniors, the response patterns in Figure 18 show that sophomores, in particular, tend to overestimate the prevalence of alcohol use among their peers. That overestimation may lead to a false notion that "everyone is doing it", which in turn is linked to a sense of peer pressure to conform and drink alcohol.





FUTURE DIRECTIONS

We anticipate receiving a follow-up report with additional data near the end of the calendar year that will provide specific indicators of protective and risk factors of particular salience for our community. Those indicators are likely to provide guidance regarding focused preventative efforts most aligned with the needs of our students. In the meantime, we are looking at the data in light of current prevention and intervention efforts by our Substance Abuse Prevention Coordinator, and we are sharing the information with IMPA.C.T. A further course of action would be to seek additional partners with expertise in the analysis of self-reported youth substance use data to deepen our understanding of our students' response patterns and to consider improvements in our prevention and intervention efforts.



2012 School Report

Oak Park & River Forest High School
Oak Park



Introduction

Congratulations! Based on your administration of the Illinois Youth Survey (2012), this report provides data on a variety of health and social indicators including drug use, bullying, school climate and much more. Your data has been organized into topical sections as noted in the table of contents on the next page. To help you get started using your data, here are a few suggestions:

Review the table below to determine how widely your students participated in the survey. If the "% of Enrolled Students Reported" is at least 50% for each grade level, you can be more confident that the data in your report is representative of your total student population.

There will be NO DATA presented in this report for any grade level with **fewer than 10 valid surveys** (in the column "N Students Surveyed"). This is to protect the confidentiality of your students.

Comparison of Students Surveyed with Enrollment

| | N Students Surveyed | N Enrolled Students | % of Enrolled Students Reported |
|-------|---------------------------|---------------------------|--|
| 10th | 641 | 800 | 80% |
| 12th | 561 | 800 | 70% |
| Total | 1202 | 1600 | 75% |

Keep in mind that the IYS 6th and 8th grade forms do not include all questions asked on the IYS high school form. For that reason, responses to some questions do not appear in the tables and charts for some grade levels. If you would like to determine what section includes responses to a specific survey item or verify if a question was asked at a specific grade level, please refer to the Site Report Appendix on our website http://iys.cprd.illinois.edu/results/individual-school-reports?.

Tables can be helpful when you are looking for a summary of responses for particular survey questions, for example, the percentage of 8th grade youth who report using prescription pain killers to get high. Some tables may contain a mean score (an average of all the responses), a median score (the middle point of all responses given) or an "N" (number of students who responded to that question). Tables can also be useful when you need specific data to support a grant or report. If you see an "N/A" (Not Applicable) noted in a table, this indicates that the question was not asked at that grade level. If you see an "N/R" (Not Reported) noted in a table, this indicates that at least 90% of students skipped the question for no known reason, making the results too biased to report.

Summary charts can be helpful to view multiple questions in one place (e.g., use of different drugs to determine which is the most used) and to compare your results with the scientific sample of Illinois students who participated in the 2010 IYS. State level results from the 2012 IYS will not be available until late fall. IYS state level norms from 2010 are a good benchmark for immediate decision-making because state estimates stay relatively stable across two IYS administration years. To locate the starting page of your <u>Summary Charts</u>, refer to the Table of Contents on the next page.

We are confident that you will find this report to be a valuable resource for planning, grant writing, program development and reporting. If you have any questions about your report, please call 888-333-5612 and ask for an IYS Coordinator or visit the IYS website at http://ivs.cprd.illinois.edu/.

Table of Contents

Data Tables

| (1) | Student Characteristics1 |
|-----|--|
| | Includes demographic data and other information about the surveyed population. |
| (2) | Drug Prevalence and Behaviors4 |
| | Includes substance use behaviors including type, frequency, and consequences of drug use. |
| (3) | Drug Use Contributing Factors12 |
| | Includes factors in students, their families and their communities that may increase or reduce the risk of youth substance abuse, such as access to substances and parental communication about expectations to not use drugs. |
| (4) | Interpersonal Conflict, Violence and Delinquency24 |
| | Includes experiences with violence and high-risk behaviors including bullying and fighting. |
| (5) | Academic and School Experiences26 |
| | Includes youth opinions of their academic experiences, their school environment and engagement in youth activities. |
| (6) | Mental, Social and Physical Health3 |
| | Includes a variety of mental and physical health issues including thoughts about depression/suicide, nutrition, and physical activity (including estimates of obesity). |
| Sum | mary Charts 36 |

(1) Student Characteristics

Age

| 10 | th | 12 | th |
|------|-----|------|-----|
| Avg | N | Avg | N |
| 15.7 | 641 | 17.6 | 561 |

Gender

| | 101 | th | 12th | | |
|--------|------|-----|------|-----|--|
| | % | N | % | N | |
| Female | 55% | 334 | 49% | 266 | |
| Male | 45% | 276 | 51% | 280 | |
| Total | 100% | 610 | 100% | 546 | |

Race

| | 10th | | 12 | th |
|---------------------------------|------|-----|------|-----|
| | % | N | % | N |
| White | 56% | 358 | 60% | 329 |
| Black/African American | 21% | 136 | 19% | 107 |
| Latino/Latina | 5% | 30 | 5% | 28 |
| Asian American | 3% | 22 | 3% | 16 |
| Native American/American Indian | 0% | 0 | 1% | 5 |
| Multi-racial | 12% | 79 | 8% | 45 |
| Other | 2% | 11 | 4% | 20 |
| Total | 100% | 636 | 100% | 550 |

Who do you live with MOST OF THE TIME:

| | 10 | th | 121 | th |
|--|------|-----|------|-----|
| | % | N | % | N |
| Both parents | 66% | 422 | 65% | 362 |
| Parent and step parent | 8% | 49 | 3% | 18 |
| Mother only | 21% | 137 | 24% | 133 |
| Father only | 2% | 13 | 3% | 19 |
| Legal guardian | 1% | 5 | 1% | 7 |
| Foster parent (including relatives if they are your foster parent) | 0% | 2 | 1% | 3 |
| Group home or residential care | 0% | 1 | 0% | 0 |
| Grandparents only | 1% | 6 | 1% | 4 |
| Living independently | 0% | 1 | 1% | 6 |
| Multiple living situations | 0% | 3 | 0% | 2 |
| Total | 100% | 639 | 100% | 554 |

Zip code of student

| J/8 III | 10th | 12th |
|------------------------|------|------|
| 60103 | 0% | 0% |
| 60130 | 0% | 0% |
| 60148 | 0% | 0% |
| 60202 | 0% | 0% |
| 60205 | 0% | 0% |
| 60300 | 0% | 0% |
| 60301 | 1% | 2% |
| 60302 | 45% | 45% |
| 60304 | 26% | 25% |
| 60305 | 15% | 19% |
| 60309 | 0% | 0% |
| 60394 | 0% | 0% |
| 60404 | 0% | 0% |
| 60564 | 0% | 0% |
| 60603 | 0% | 0% |
| 60624 | 0% | 0% |
| 60629 | 0% | 0% |
| 60632 | 0% | 0% |
| 60641 | 0% | 0% |
| Invalid or no response | 11% | 8% |

At school, are you eligible to receive:

| | 101 | th | 121 | th |
|---------------------|------|-----|------|-----|
| | % | N | % | N |
| Free lunch | 15% | 94 | 12% | 69 |
| Reduced price lunch | 7% | 47 | 5% | 27 |
| Neither | 78% | 487 | 83% | 460 |
| Total | 100% | 628 | 100% | 556 |

(2) Drug Prevalence and Behaviors

2012 Substance Use Rates by Grade

| Substance Used | 10th Grade | 12th Grade |
|---|---------------|---------------|
| Used Past Year | | |
| Any Substance (including alcohol, cigarettes, inhalants or marijuana) | 62% | 78% |
| Alcohol | 60% | 76% |
| Cigarettes | 10% | 21% |
| Inhalants | 2% | 3% |
| Marijuana | 37% | 51% |
| Any Illicit Drugs (excluding marijuana) | 5% | 12% |
| Crack/Cocaine | 1% | 3% |
| Hallucinogens/LSD | 3% | 6% |
| Ecstasy/MDMA | 4% | 8% |
| Methamphetamine | 0% | 1% |
| Heroin | 1% | 2% |
| Any Prescription Drugs | 5% | 10% |
| Steroids | 1% | 1% |
| Prescription Painkillers | 3% | 5% |
| Other Prescription Drugs | 5% | 7% |
| Over-the-Counter Drugs | 4% | 5% |
| Used Past 30 Days | | |
| Alcohol | 41% | 61% |
| Any Tobacco Products | 10% | 27% |
| Cigarettes | 5% | 15% |
| Smokeless tobacco | 3% | 8% |
| Smoking tobacco (other than cigarettes) | 5% | 16% |
| Inhalants | 1% | 2% |
| Marijuana | 30% | 37% |
| Any Prescription Drugs | 3% | 6% |
| Prescription Painkillers | 2% | 4% |
| Other Prescription Drugs | 3% | 4% |
| Over-the-Counter Drugs | 1% | 2% |
| Used Past 2 Weeks | | |
| Binge Drinking | 19% | 37% |
| # of Respondents | 641 | 561 |

How old were you when you first:

| | | Never have | 10 or younger | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 or older | Total |
|------|--|---------------|------------------|----|----|-----|-----|-----|-----|-----|----------------|-------|
| | Had more than a sip or two of alcohol | 34% | 6% | 2% | 5% | 10% | 13% | 24% | 6% | 0% | 0% | 100% |
| 10th | Began drinking alcohol regularly (at least once or twice a month) | 71% | 1% | 0% | 1% | 1% | 5% | 15% | 6% | 0% | 0% | 100% |
| | Smoked a cigarette, even just a puff | 79% | 2% | 1% | 2% | 3% | 5% | 6% | 2% | 0% | 0% | 100% |
| | Used any other tobacco product (e.g., chewing tobacco or cigars) | 86% | 1% | 1% | 0% | 1% | 4% | 6% | 1% | 0% | 0% | 100% |
| | Smoked marijuana | 59% | 1% | 1% | 2% | 5% | 12% | 14% | 6% | 0% | 0% | 100% |
| | Had more than a sip or two of alcohol | 19% | 9% | 3% | 4% | 7% | 13% | 13% | 20% | 11% | 2% | 100% |
| | Began drinking alcohol regularly (at least once or twice a month) | 49% | 1% | 1% | 0% | 1% | 3% | 8% | 15% | 17% | 4% | 100% |
| 12th | Smoked a cigarette, even just a puff | 60% | 2% | 1% | 3% | 3% | 4% | 8% | 9% | 9% | 2% | 100% |
| | Used any other tobacco product (e.g., chewing tobacco or cigars) | 67% | 1% | 0% | 1% | 2% | 3% | 6% | 8% | 7% | 3% | 100% |
| | Smoked marijuana | 43% | 1% | 1% | 2% | 4% | 11% | 14% | 15% | 7% | 2% | 100% |

DRUG INITIATION AMONG THOSE WHO HAVE EVER USED EACH DRUG: Average (mean) age when first:

| Fail (98) | 12 | th |
|---|------|-----|
| | Avg | N |
| Had more than a sip or two of alcohol | 14.4 | 449 |
| Began drinking alcohol regularly (at least once or twice a month) | 15.9 | 279 |
| Smoked a cigarette, even just a puff | 15.0 | 224 |
| Used any other tobacco product (e.g., chewing tobacco or cigars) | 15.4 | 182 |
| Smoked marijuana | 14.9 | 317 |

ALCOHOL: On how many occasions (If any) have you had alcohol:

| | | 0 occasions | 1-2 occasions | 3-5 occasions | 6-9 occasions | 10-19 occasions | 20 or more occasions | Total |
|------|---------------------|----------------|------------------|------------------|------------------|--------------------|----------------------------|-------|
| 4011 | In the past 30 days | 59% | 26% | 10% | 4% | 1% | 1% | 100% |
| 10th | In the past year | 41% | 18% | 14% | 10% | 7% | 9% | 100% |
| | In the past 30 days | 39% | 27% | 17% | 11% | 4% | 3% | 100% |
| 12th | In the past year | 25% | 14% | 11% | 10% | 15% | 25% | 100% |

BINGE DRINKING: Think back over the last two weeks. How many times have you had five or more alcoholic drinks in a row:

| | 10th | 12th |
|------------------|------|------|
| None | 80% | 62% |
| Once | 8% | 13% |
| Twice | 7% | 8% |
| 3-5 times | 3% | 10% |
| 6-9 times | 1% | 3% |
| 10 or more times | 1% | 4% |
| Total | 100% | 100% |

ALCOHOL TYPE: If you drank beer, wine, or liquor in the past 30 days, what did you drink:

| | | Did not drink alcohol during the past 30 days | Never | Sometimes | Often | Total |
|--------|--|--|-------|-----------|-------|-------|
| AND | Beer | 63% | 12% | 20% | 6% | 100% |
| No. | Malt liquor | 65% | 29% | 5% | 1% | 100% |
| 10th | Wine | 65% | 20% | 13% | 2% | 100% |
| 1001 | Liquor (vodka, whiskey, etc.) | 63% | 7% | 21% | 9% | 100% |
| // E (| Alcopops (wine coolers, hard lemonade, hard cider) | 65% | 22% | 11% | 2% | 100% |
| | Liquor with energy drinks (e.g., Red Bull) | 64% | 25% | 8% | 3% | 100% |
| | Beer | 42% | 14% | 29% | 15% | 100% |
| | Malt liquor | 43% | 40% | 12% | 4% | 100% |
| 1046 | Wine | 42% | 23% | 28% | 8% | 100% |
| 12th | Liquor (vodka, whiskey, etc.) | 41% | 9% | 30% | 19% | 100% |
| | Alcopops (wine coolers, hard lemonade, hard cider) | 43% | 41% | 12% | 4% | 100% |
| | Liquor with energy drinks (e.g., Red Bull) | 43% | 39% | 9% | 8% | 100% |

*ALCOHOL TYPE: Among alcohol users in the past 30 days, what did you drink:

| | 10th | 12th |
|--|--------------------|--------------------|
| | Among 254 users | Among 332 users |
| Beer | 68% | 77% |
| Malt liquor | 18% | 29% |
| Wine | 42% | 61% |
| Liquor (vodka, whiskey, etc.) | 82% | 84% |
| Alcopops (wine coolers, hard lemonade, hard cider) | 37% | 29% |
| Liquor with energy drinks (e.g., Red Bull) | 31% | 31% |

^{*}If you see an 'N/R' (Not Reported) noted in this table, it means that at least 50% of students skipped the question for no known reason, making the results too biased to report

CIGARETTES: How frequently have you smoked cigarettes:

| | | Not at all | Less than one cigarette per day | I CIDATETTES I | About one-half pack per day | About one pack per day | More than 1 pack per day | Total |
|------|---------------------|------------|--|----------------|--------------------------------------|---------------------------------|-----------------------------------|-------|
| | In the past 30 days | 94% | 4% | 1% | 0% | 0% | 0% | 100% |
| 10th | In the past year | 90% | 8% | 2% | 0% | 0% | 0% | 100% |
| | In the past 30 days | 84% | 9% | 4% | 2% | 1% | 0% | 100% |
| 12th | In the past year | 79% | 14% | 4% | 2% | 1% | 0% | 100% |

INHALANTS: On how many occasions (if any) have you sniffed glue, breathed the contents of an aerosol spray can, or inhaled other gases or sprays, in order to get high:

| | | 0 occasions | 1-2 occasions | 3-5 occasions | 6-9 occasions | 10-19 occasions | 20 or more occasions | Total |
|------|---------------------|----------------|---------------|------------------|------------------|--------------------|----------------------------|-------|
| | In the past 30 days | 98% | 1% | 0% | 0% | 0% | 1% | 100% |
| 10th | In the past year | 98% | 1% | 0% | 0% | 0% | 0% | 100% |
| | In the past 30 days | 97% | 1% | 0% | 0% | 0% | 1% | 100% |
| 12th | In the past year | 97% | 1% | 0% | 0% | 1% | 1% | 100% |

MARIJUANA: On how many occasions (if any) have you used marijuana:

| | | 0 occasions | 1-2 occasions | 3-5 occasions | 6-9 occasions | 10-19 occasions | 20 or more occasions | Total |
|------|---------------------|----------------|------------------|------------------|------------------|--------------------|----------------------------|-------|
| 10th | In the past 30 days | 70% | 11% | 7% | 4% | 4% | 4% | 100% |
| 10th | In the past year | 63% | 7% | 6% | 5% | 5% | 14% | 100% |
| | In the past 30 days | 63% | 11% | 5% | 5% | 6% | 10% | 100% |
| 12th | In the past year | 49% | 9% | 7% | 6% | 6% | 23% | 100% |

OTHER TOBACCO: During the past 30 days, how frequently have you used:

| | | Never | Once or twice | Once or twice per week | About once a day | More than once a day | Total |
|-------|--|-------|---------------|---------------------------------|------------------|-------------------------------|-------|
| 10th | Smokeless tobacco such as chewing tobacco, snuff, dip, or snus | 97% | 2% | 0% | 0% | 0% | 100% |
| 10th | Smoked tobacco products other than cigarettes such as cigars, cigarillos, or little cigars | 95% | 3% | 1% | 0% | 1% | 100% |
| 12th | Smokeless tobacco such as chewing tobacco, snuff, dip, or snus | 92% | 5% | 2% | 0% | 1% | 100% |
| 12(1) | Smoked tobacco products other than cigarettes such as cigars, cigarillos, or little cigars | 84% | 10% | 3% | 2% | 1% | 100% |

PRESCRIPTION AND OVER THE COUNTER DRUGS: During the past 30 days, how often have you used the following to get high:

| | 10th | 12th |
|---|------|------|
| Prescription painkillers (like Oxycontin, Vicodin, Lortab, or others) | 2% | 4% |
| Other prescription drugs (like Ritalin, Adderall, or Xanax) | 3% | 4% |
| Anything you could buy in a store ("over the counter drugs") | 1% | 2% |

ILLICIT DRUGS: During the past 12 months, how often have you used:

| | | 0 occasions | 1-2 occasions | 3-5 occasions | 6-9 occasions | 10-19 occasions | 20 or more occasions | Total |
|------|---------------------------|----------------|------------------|------------------|------------------|--------------------|----------------------------|-------|
| | MDMA ("ecstasy") | 96% | 3% | 0% | 0% | 0% | 0% | 100% |
| | LSD or other psychedelics | 97% | 2% | 0% | 0% | 0% | 0% | 100% |
| 10th | Cocaine or crack | 99% | 0% | 0% | 0% | 0% | 0% | 100% |
| | Meth (methamphetamine) | 100% | 0% | 0% | 0% | 0% | 0% | 100% |
| | Heroin | 99% | 0% | 0% | 0% | 0% | 1% | 100% |
| | MDMA ("ecstasy") | 92% | 6% | 1% | 1% | 0% | 1% | 100% |
| | LSD or other psychedelics | 94% | 3% | 2% | 1% | 0% | 1% | 100% |
| 12th | Cocaine or crack | 97% | 1% | 1% | 1% | 0% | 1% | 100% |
| | Meth (methamphetamine) | 99% | 0% | 0% | 0% | 0% | 1% | 100% |
| | Heroin | 98% | 1% | 0% | 0% | 0% | 0% | 100% |

PRESCRIPTION AND OVER THE COUNTER DRUGS: During the past 12 months, how often have you used:

| | | Never | 1-2 times | 3-5 times | 6 or more times | Total |
|------|--|-------|--------------|--------------|-----------------------|-------|
| | Steroids without a doctor's prescription? | 99% | 0% | 0% | 0% | 100% |
| | Prescription painkillers to get high? (e.g., Oxycontin, Vicodin, Lortab, etc.) | 97% | 2% | 0% | 1% | 100% |
| 10th | Other prescription drugs to get high? (e.g., Ritalin, Adderall, Xanax, etc.) | 95% | 2% | 1% | 3% | 100% |
| | Something you bought in a store to get high? (e.g., cough syrup, etc.) | 96% | 2% | 1% | 1% | 100% |
| | Steroids without a doctor's prescription? | 99% | 1% | 0% | 1% | 100% |
| | Prescription painkillers to get high? (e.g., Oxycontin, Vicodin, Lortab, etc.) | 95% | 2% | 2% | 1% | 100% |
| 12th | Other prescription drugs to get high? (e.g., Ritalin, Adderall, Xanax, etc.) | 93% | 3% | 1% | 2% | 100% |
| | Something you bought in a store to get high? (e.g., cough syrup, etc.) | 95% | 4% | 1% | 1% | 100% |

ALCOHOL CONSEQUENCES: During the past 12 months, how often have you experienced the following while or after drinking alcohol:

| | | Never | 1-2 times | 3-5 times | 6 or more times | Total |
|------|---|-------|--------------|--------------|-----------------------|-------|
| | Performed poorly on a test or important project | 95% | 4% | 1% | 1% | 100% |
| | Been in trouble with the police | 93% | 6% | 1% | 0% | 100% |
| | Damaged property | 94% | 5% | 1% | 0% | 100% |
| 10th | Got into an argument or fight | 86% | 12% | 1% | 2% | 100% |
| | Been hurt or injured | 91% | 7% | 2% | 1% | 100% |
| | Been a victim of a violent crime | 98% | 2% | 0% | 0% | 100% |
| | Been treated in a hospital Emergency Department | 97% | 3% | 0% | 0% | 100% |
| | Performed poorly on a test or important project | 95% | 4% | 1% | 1% | 100% |
| | Been in trouble with the police | 90% | 8% | 1% | 0% | 100% |
| | Damaged property | 89% | 7% | 2% | 1% | 100% |
| 12th | Got into an argument or fight | 82% | 13% | 4% | 1% | 100% |
| | Been hurt or injured | 89% | 8% | 2% | 1% | 100% |
| | Been a victim of a violent crime | 99% | 1% | 0% | 0% | 100% |
| | Been treated in a hospital Emergency Department | 98% | 1% | 1% | 0% | 100% |

SUBSTANCE USE CONSEQUENCES: During the past 12 months:

| | 10th | 12th |
|---|------|------|
| Did you ever use alcohol or drugs to relax, feel better about yourself, or fit in | 25% | 33% |
| Did you ever use alcohol or drugs while you were by yourself, alone | 17% | 22% |
| Did you ever forget things you did while using alcohol or drugs | 28% | 34% |
| Did your family or friends ever tell you that you should cut down on your drinking or drug use | 10% | 10% |
| Have you gotten into trouble while you were using alcohol or drugs | 13% | 16% |
| Have you ever ridden in a car driven by someone (including yourself) who was "high" or had been using alcohol or drugs | 24% | 40% |
| Experienced 2 or more consequences (indicating the potential need for substance abuse assessment according to the CRAFFT Screening Test) | 31% | 43% |

DUI: During the past 12 months, how many times did you drive a car or other vehicle when:

| 114 | The Tan William | Never | 1-2 times | 3-5 times | 6 or more times | Total |
|------|---|-------|--------------|--------------|-----------------------|-------|
| 10th | You had been drinking alcohol | 94% | 4% | 1% | 1% | 100% |
| 1001 | You had been using marijuana or other illegal drugs | 90% | 6% | 2% | 2% | 100% |
| 12th | You had been drinking alcohol | 82% | 11% | 4% | 3% | 100% |
| 12th | You had been using marijuana or other illegal drugs | 75% | 10% | 6% | 9% | 100% |

(3) Drug Use Contributing Factors

PERSONAL DISAPPROVAL: How wrong do you think it is for someone your age to:

| | | Very wrong | Wrong | A little bit wrong | Not wrong at all | Total |
|-------|---|---------------|-------|--------------------|------------------------|-------|
| | Drink beer, wine or hard liquor (e.g., vodka, whiskey or gin) regularly | 26% | 33% | 33% | 9% | 100% |
| 10th | Smoke cigarettes | 53% | 31% | 12% | 4% | 100% |
| 1001 | Smoke marijuana | 26% | 26% | 29% | 19% | 100% |
| | Use LSD, cocaine, amphetamines, or another illegal drug | 83% | 12% | 4% | 1% | 100% |
| | Drink beer, wine or hard liquor (e.g., vodka, whiskey or gin) regularly | 11% | 22% | 43% | 25% | 100% |
| 12th | Smoke cigarettes | 30% | 30% | 23% | 17% | 100% |
| 12111 | Smoke marijuana | 12% | 23% | 32% | 33% | 100% |
| | Use LSD, cocaine, amphetamines, or another illegal drug | 65% | 22% | 9% | 4% | 100% |

PERCEPTIONS OF PEER ALCOHOL USE: In the past 30 days, what percent of students at your school do you think have had beer, wine, or hard liquor:

| | 10th | 12th |
|---------------------|------|------|
| 0% of students | 1% | 0% |
| 1-10% of students | 2% | 1% |
| 11-20% of students | 3% | 2% |
| 21-30% of students | 8% | 5% |
| 31-40% of students | 8% | 9% |
| 41-50% of students | 10% | 11% |
| 51-60% of students | 13% | 15% |
| 61-70% of students | 14% | 16% |
| 71-80% of students | 19% | 21% |
| 81-90% of students | 16% | 13% |
| 91-100% of students | 6% | 7% |
| Total | 100% | 100% |

Compared to:

| | 10th | 12th |
|---|------|------|
| Actual past 30 day alcohol use reported | 41% | 61% |

PERCEPTIONS OF PEER CIGARETTE USE: In the past 30 days, what percent of students at your school do you think have smoked cigarettes:

| | 10th | 12th |
|---------------------|------|------|
| 0% of students | 1% | 0% |
| 1-10% of students | 6% | 6% |
| 11-20% of students | 12% | 15% |
| 21-30% of students | 16% | 22% |
| 31-40% of students | 15% | 15% |
| 41-50% of students | 11% | 11% |
| 51-60% of students | 9% | 9% |
| 61-70% of students | 10% | 6% |
| 71-80% of students | 12% | 8% |
| 81-90% of students | 4% | 5% |
| 91-100% of students | 4% | 3% |
| Total | 100% | 100% |

Compared to:

| | 10th | 12th |
|---|------|------|
| Actual past 30 day cigarette use reported | 5% | 15% |

PERCEPTIONS OF PEER MARIJUANA USE: In the past 30 days, what percent of students at your school do you think have used marijuana:

| | 10th | 12th |
|---------------------|------|------|
| 0% of students | 1% | 0% |
| 1-10% of students | 3% | 1% |
| 11-20% of students | 4% | 4% |
| 21-30% of students | 7% | 6% |
| 31-40% of students | 10% | 12% |
| 41-50% of students | 11% | 12% |
| 51-60% of students | 9% | 14% |
| 61-70% of students | 11% | 12% |
| 71-80% of students | 18% | 16% |
| 81-90% of students | 18% | 13% |
| 91-100% of students | 10% | 9% |
| Total | 100% | 100% |

Compared to:

| | 10th | 12th |
|---|------|------|
| Actual past 30 day marijuana use reported | 30% | 37% |

PERCEIVED RISK ASSOCIATED WITH USE: How much do you think people risk harming themselves (physically or in other ways) if they:

| | | No risk | Slight risk | Moderate risk | Great risk | Total |
|------|---|---------|----------------|------------------|---------------|-------|
| | Take one or two drinks of an alcoholic beverage (beer, wine, liquor) nearly every day | 2% | 12% | 37% | 50% | 100% |
| 10th | Have five or more drinks of an alcoholic beverage once or twice a week | 2% | 13% | 36% | 49% | 100% |
| | Smoke one or more packs of cigarettes per day | 1% | 5% | 15% | 79% | 100% |
| | Smoke marijuana regularly | 11% | 22% | 31% | 36% | 100% |
| | Smoke marijuana once or twice a week | 20% | 28% | 35% | 17% | 100% |
| | Use inhalants regularly | 1% | 5% | 23% | 70% | 100% |
| | Take one or two drinks of an alcoholic beverage (beer, wine, liquor) nearly every day | 6% | 19% | 42% | 33% | 100% |
| | Have five or more drinks of an alcoholic beverage once or twice a week | 6% | 18% | 40% | 37% | 100% |
| 12th | Smoke one or more packs of cigarettes per day | 3% | 4% | 21% | 72% | 100% |
| | Smoke marijuana regularly | 18% | 23% | 34% | 25% | 100% |
| | Smoke marijuana once or twice a week | 27% | 29% | 30% | 14% | 100% |
| | Use inhalants regularly | 3% | 5% | 24% | 67% | 100% |

PERCEIVED PEER NORMS: What are the chances you would be seen as cool if you:

| | | No or very little chance | Little chance | Some chance | Pretty good chance | Very good chance | Total |
|------|---|-----------------------------------|------------------|-------------|--------------------------|------------------------|-------|
| | Began drinking alcohol regularly, that is, at least once or twice a month | 24% | 18% | 30% | 20% | 6% | 100% |
| 10th | Smoked cigarettes | 50% | 27% | 16% | 4% | 3% | 100% |
| | Smoke marijuana | 24% | 18% | 26% | 21% | 12% | 100% |
| | Began drinking alcohol regularly, that is, at least once or twice a month | 25% | 18% | 28% | 19% | 11% | 100% |
| 12th | Smoked cigarettes | 50% | 27% | 16% | 4% | 4% | 100% |
| | Smoke marijuana | 26% | 17% | 24% | 19% | 14% | 100% |

PERCEIVED PARENT DISAPPROVAL OF USE: How wrong do your parents feel it would be for you to:

| | | Very wrong | Wrong | A little bit wrong | Not wrong at all | Total |
|------|--|---------------|-------|--------------------------|------------------------|-------|
| | Drink beer, wine, or hard liquor (e.g., vodka, whiskey, or gin) regularly (at least once or twice a month) | 62% | 25% | 11% | 2% | 100% |
| 10th | Smoke cigarettes | 86% | 12% | 1% | 1% | 100% |
| 25 | Smoke marijuana | 75% | 16% | 8% | 2% | 100% |
| | Drink beer, wine, or hard liquor (e.g., vodka, whiskey, or gin) regularly (at least once or twice a month) | 35% | 31% | 23% | 11% | 100% |
| 12th | Smoke cigarettes | 64% | 25% | 8% | 3% | 100% |
| | Smoke marijuana | 54% | 28% | 13% | 6% | 100% |

PARENT COMMUNICATION ABOUT DRUGS: In the past year, have your parents/guardians talked to you about:

| Maly | 200 m | Yes | No | Don't remember | Total |
|------|---|-----|-----|----------------|-------|
| 110 | Not using alcohol | 61% | 30% | 9% | 100% |
| 10th | Not using tobacco | 43% | 47% | 9% | 100% |
| | Not using marijuana and other illegal drugs | 62% | 30% | 8% | 100% |
| | Not using alcohol | 51% | 41% | 8% | 100% |
| 12th | Not using tobacco | 34% | 57% | 9% | 100% |
| | Not using marijuana and other illegal drugs | 46% | 47% | 8% | 100% |

In the past year, have your parents/guardians talked with you about not drinking and driving or riding with a drunk driver:

| | 10th | 12th |
|-------|------|------|
| Yes | 69% | 63% |
| No | 31% | 37% |
| Total | 100% | 100% |

PARENT ALCOHOL MONITORING: Would you be caught by your parents If:

| | I WE DOWN THE THE WALLES | Never | Sometimes | Most of the time | Always | Total |
|------|---|-------|-----------|------------------|--------|-------|
| | You drank some beer, wine or liquor (e.g., vodka, whiskey, or gin) without your parents' permission | 45% | 31% | 11% | 12% | 100% |
| 400 | You go to a party where alcohol is served | 48% | 30% | 11% | 12% | 100% |
| 10th | You drank and drove | 32% | 18% | 17% | 33% | 100% |
| | You rode in a car driven by a teen driver who had been drinking | 45% | 28% | 11% | 17% | 100% |
| 1000 | You drank some beer, wine or liquor (e.g., vodka, whiskey, or gin) without your parents' permission | 51% | 36% | 6% | 7% | 100% |
| 4011 | You go to a party where alcohol is served | 64% | 27% | 4% | 5% | 100% |
| 12th | You drank and drove | 48% | 20% | 13% | 18% | 100% |
| | You rode in a car driven by a teen driver who had been drinking | 66% | 18% | 8% | 8% | 100% |

PARENT OVERALL MONITORING:

| | | Never | Sometimes | Most of the time | Always | Total |
|------|---|-------|-----------|------------------|--------|-------|
| | When I am not at home, one of my parents/guardians knows where I am and who I am with | 8% | 19% | 33% | 40% | 100% |
| 10th | My parents/guardians ask if I've gotten my homework done | 12% | 15% | 19% | 53% | 100% |
| | Would your parents/guardians know if you did not come home on time | 9% | 14% | 24% | 53% | 100% |
| | When I am not at home, one of my parents/guardians knows where I am and who I am with | 20% | 24% | 33% | 23% | 100% |
| 12th | My parents/guardians ask if I've gotten my homework done | 26% | 22% | 23% | 30% | 100% |
| | Would your parents/guardians know if you did not come home on time | 18% | 25% | 25% | 32% | 100% |

My family has clear rules about alcohol and drug use.

| | 10th | 12th |
|-------|------|------|
| Yes | 79% | 66% |
| No | 21% | 34% |
| Total | 100% | 100% |

PERCEIVED ACCESS: If you wanted to get the following, how easy would it be for you to get some:

| | | Very hard | Sort of hard | Sort of easy | Very easy | Total |
|-------|---|--------------|--------------|--------------|--------------|-------|
| | Beer, wine, or hard liquor (e.g., vodka, whiskey, or gin) | 12% | 17% | 45% | 26% | 100% |
| 10th | Cigarettes | 23% | 20% | 28% | 29% | 100% |
| 10(11 | Marijuana | 17% | 12% | 24% | 47% | 100% |
| | A drug like cocaine, LSD, or amphetamines | 52% | 30% | 14% | 4% | 100% |
| 175 | Beer, wine, or hard liquor (e.g., vodka, whiskey, or gin) | 6% | 8% | 33% | 53% | 100% |
| 1046 | Cigarettes | 7% | 5% | 15% | 73% | 100% |
| 12th | Marijuana | 8% | 9% | 26% | 56% | 100% |
| | A drug like cocaine, LSD, or amphetamines | 30% | 38% | 22% | 10% | 100% |

PERCEIVED ADULT DISAPPROVAL: How wrong would most adults (over 21) in your neighborhood think it is for kids your age:

| | W. Charles | Very wrong | Wrong | A little bit wrong | Not wrong at all | Total |
|------|---------------------|---------------|-------|--------------------|------------------------|-------|
| | To drink alcohol | 25% | 50% | 22% | 3% | 100% |
| 10th | To smoke cigarettes | 45% | 39% | 14% | 2% | 100% |
| | To use marijuana | 36% | 47% | .15% | 3% | 100% |
| | To drink alcohol | 11% | 37% | 42% | 11% | 100% |
| 12th | To smoke cigarettes | 25% | 38% | 28% | 10% | 100% |
| | To use marijuana | 19% | 45% | 30% | 6% | 100% |

How safe do you feel in your neighborhood:

| | 10th | 12th |
|----------------|------|------|
| Very safe | 53% | 53% |
| Sort of safe | 40% | 39% |
| Sort of unsafe | 5% | 5% |
| Very unsafe | 3% | 3% |
| Total | 100% | 100% |

TOBACCO SUPPLY SOURCE AMONG ALL STUDENTS: During the past year, how often did you get cigarettes or other tobacco products from the following sources:

| | | Did not smoke cigarettes or use other tobacco products during the past year | Never | Sometimes | Often | Total |
|------|---|--|-------|-----------|-------|-------|
| | I bought them at a gas station | 91% | 4% | 2% | 3% | 100% |
| | I bought them at a store | 91% | 7% | 1% | 0% | 100% |
| | I bought them from a vending machine | 91% | 9% | 0% | 0% | 100% |
| | I gave a stranger money to buy them for me | 91% | 5% | 3% | 1% | 100% |
| 404 | I bought them over the Internet | 91% | 9% | 0% | 0% | 100% |
| 10th | A friend gave them to me | 91% | 1% | 5% | 3% | 100% |
| | My older brother or sister gave them to me | 91% | 7% | 1% | 1% | 100% |
| | My parent gave them to me | 91% | 9% | 0% | 0% | 100% |
| | I took them from a store | 91% | 8% | 0% | 0% | 100% |
| | I took them from home without my parents knowing it | 91% | 7% | 1% | 1% | 100% |
| | I bought them at a gas station | 81% | 4% | 7% | 8% | 100% |
| | I bought them at a store | 81% | 8% | 6% | 4% | 100% |
| | I bought them from a vending machine | 81% | 18% | 0% | 0% | 100% |
| | I gave a stranger money to buy them for me | 81% | 17% | 2% | 0% | 100% |
| | I bought them over the Internet | 81% | 18% | 0% | 0% | 100% |
| 12th | A friend gave them to me | 81% | 5% | 10% | 3% | 100% |
| | My older brother or sister gave them to me | 81% | 17% | 2% | 0% | 100% |
| | My parent gave them to me | 81% | 17% | 1% | 0% | 100% |
| | I took them from a store | 81% | 18% | 1% | 0% | 100% |
| | I took them from home without my parents knowing it | 81% | 17% | 2% | 0% | 100% |

*TOBACCO SOURCE TYPE ONLY AMONG TOBACCO USERS IN THE PAST YEAR: During the past year, how often did you get cigarettes or other tobacco products from the following sources:

| A STATE OF THE STA | 10th Grade | 12th Grade |
|--|---------------|---------------|
| Retail Purchase | | |
| Any Retail Source | 55% | 82% |
| I bought them at a gas station | 54% | 80% |
| I bought them at a store | 20% | 55% |
| I bought them from a vending machine | 4% | 2% |
| Parent Supply | | |
| My parent gave them to me | 2% | 8% |
| Social Access | | |
| Any Social Source (excluding parents) | 95% | 74% |
| A friend gave them to me | 93% | 72% |
| My older brother or sister gave them to me | 16% | 9% |
| I gave a stranger money to buy them for me | 45% | 11% |
| Accessed Without Permission | | |
| Stole or Took Without Permission | 21% | 15% |
| I took them from home without my parents knowing it | 16% | 11% |
| I took them from a store | 7% | 4% |
| Other Supply Source | | |
| I bought them over the Internet | 2% | 2% |
| # of Tobacco Users in the Past Year | 63 | 115 |

^{*}If you see an 'N/R' (Not Reported) noted in this table, it means that at least 50% of students skipped the question for no known reason, making the results too biased to report

If you bought cigarettes or other tobacco products during the past year, did you use a fake ID:

| | 10th | 12th |
|---|------|------|
| I didn't buy these products | 91% | 72% |
| Yes, I used a fake ID | 0% | 1% |
| I bought these products without a fake ID | 8% | 26% |
| Total | 100% | 100% |

ALCOHOL SUPPLY SOURCE AMONG ALL STUDENTS: During the past year, how often did you usually get your own beer, wine or liquor from the following sources:

| | | Did not drink beer, wine or liquor during the past year | Never | Sometimes | Often | Total |
|------|--|--|-------|-----------|-------|-------|
| | I bought it at a gas station | 46% | 50% | 2% | 1% | 100% |
| | I bought it at a store | 46% | 47% | 5% | 2% | 100% |
| | I bought it at a bar or restaurant | 46% | 52% | 1% | 0% | 100% |
| | I gave a stranger money to buy it for me | 46% | 38% | 11% | 5% | 100% |
| | I bought it over the Internet | 47% | 52% | 1% | 0% | 100% |
| | A friend gave it to me | 45% | 13% | 23% | 19% | 100% |
| 10th | My older brother or sister gave it to me | 47% | 38% | 10% | 6% | 100% |
| | My parents WITH their permission | 46% | 38% | 14% | 2% | 100% |
| | My parents WITHOUT their permission | 46% | 31% | 17% | 6% | 100% |
| | An adult (other than my parents) WITH that adult's permission | 47% | 40% | 11% | 2% | 100% |
| | An adult (other than my parents) WITHOUT that adult's permission | 47% | 41% | 9% | 3% | 100% |
| 1 | I took it from a store | 47% | 52% | 1% | 0% | 100% |
| | I got it at a party | 46% | 15% | 20% | 19% | 100% |
| | I bought it at a gas station | 28% | 56% | 10% | 5% | 100% |
| | I bought it at a store | 28% | 48% | 13% | 12% | 100% |
| | I bought it at a bar or restaurant | 28% | 60% | 10% | 3% | 100% |
| Y | I gave a stranger money to buy it for me | 28% | 48% | 17% | 7% | 100% |
| | I bought it over the Internet | 28% | 71% | 1% | 0% | 100% |
| 1 | A friend gave it to me | 27% | 16% | 33% | 24% | 100% |
| 12th | My older brother or sister gave it to me | 28% | 53% | 14% | 4% | 100% |
| | My parents WITH their permission | 28% | 46% | 21% | 5% | 100% |
| | My parents WITHOUT their permission | 28% | 44% | 21% | 6% | 100% |
| | An adult (other than my parents) WITH that adult's permission | 28% | 49% | 17% | 6% | 100% |
| | An adult (other than my parents) WITHOUT that adult's permission | 28% | 55% | 13% | 4% | 100% |
| | I took it from a store | 28% | 68% | 3% | 1% | 100% |
| | I got it at a party | 27% | 16% | 27% | 30% | 100% |

*ALCOHOL SOURCE TYPE ONLY AMONG ALCOHOL USERS IN THE PAST YEAR: During the past year, how often did you usually get your own beer, wine or liquor from the following sources:

| | 10th Grade | 12th Grade |
|--|---------------|---------------|
| Retail Purchase | | |
| Any Retail Source | 15% | 44% |
| I bought it at a bar or restaurant | 3% | 17% |
| I bought it at a gas station | 7% | 22% |
| I bought it at a store | 13% | 34% |
| Parent Supply | | |
| My parents WITH their permission | 30% | 37% |
| Social Access | | |
| Any Social Source (excluding parents) | 88% | 94% |
| A friend gave it to me | 77% | 78% |
| I got it at a party | 72% | 78% |
| I gave a stranger money to buy it for me | 30% | 34% |
| My older brother or sister gave it to me | 29% | 26% |
| An adult (other than my parents) WITH that adult's permission | 25% | 31% |
| Accessed Without Permission | | |
| Stole or Took Without Permission | 52% | 46% |
| I took it from a store | 2% | 5% |
| My parents WITHOUT their permission | 43% | 39% |
| An adult (other than my parents) WITHOUT that adult's permission | 23% | 24% |
| Other Supply Source | | |
| I bought it over the Internet | 2% | 1% |
| # of Alcohol Users in the Past Year | 369 | 411 |

^{*}If you see an 'N/R' (Not Reported) noted in this table, it means that at least 50% of students skipped the question for no known reason, making the results too biased to report

If you bought beer, wine, or liquor during the past year, did you use a fake ID:

| AND THE PROPERTY OF THE PARTY O | 10th | 12th |
|--|------|------|
| I didn't buy these products | 90% | 76% |
| Yes, I used a fake ID | 1% | 6% |
| I bought these products without a fake ID | 9% | 18% |
| Total | 100% | 100% |

(4) Interpersonal Conflict, Violence and Delinquency

DELINQUENCY: How many times in the past year (12 months) have you:

| | | Never | 1-2 times | 3-5 times | 6 or more times | Total |
|------|---|-------|--------------|--------------|-----------------------|-------|
| | Been in a physical fight | 78% | 18% | 2% | 2% | 100% |
| 1800 | Carried a weapon such as a handgun, knife or club | 91% | 4% | 1% | 4% | 100% |
| 10th | Sold illegal drugs | 92% | 4% | 1% | 2% | 100% |
| | Been drunk or high at school | 82% | 9% | 4% | 5% | 100% |
| | Been in a physical fight | 80% | 17% | 2% | 1% | 100% |
| | Carried a weapon such as a handgun, knife or club | 87% | 8% | 1% | 4% | 100% |
| 12th | Sold illegal drugs | 91% | 4% | 2% | 3% | 100% |
| | Been drunk or high at school | 79% | 7% | 6% | 8% | 100% |

Do you currently belong to a "street gang":

| | 10th 12th | | |
|-------|-----------|------|--|
| Yes | 5% | 7% | |
| No | 95% | 93% | |
| Total | 100% | 100% | |

BULLYING EXPERIENCES: During the past 12 months, has another student at school:

| | 10th | 12th |
|---|------|------|
| Bullied you by calling you names | 31% | 19% |
| Threatened to hurt you | 15% | 11% |
| Bullied you by hitting, punching, kicking, or pushing you | 8% | 7% |
| Bullied, harassed or spread rumors about you on the Internet or through text messages | 18% | 12% |
| Ever bullied (reported at least 1 type of bullying) | 39% | 25% |
| Intensely bullied (reported all types of bullying) | 2% | 2% |

BIAS-BASED BULLYING: in the past 12 months at school, how often have you been builled, harassed, or made fun of because of:

| | | Never | 1-2 times | 3-5 times | 6 or more times | Total |
|------|---|-------|--------------|--------------|-----------------------|-------|
| 10th | What someone assumed about your religion, sexual orientation, or race/ethnicity | 77% | 13% | 5% | 5% | 100% |
| | Your appearance or a disability | 71% | 17% | 5% | 7% | 100% |
| | What someone assumed about your religion, sexual orientation, or race/ethnicity | 81% | 12% | 2% | 4% | 100% |
| | Your appearance or a disability | 81% | 12% | 4% | 3% | 100% |

DATING VIOLENCE: During the past 12 months, have any of the following been done by someone in a dating relationship with you:

| | | I have not begun to date | Yes | No | Not sure | Total |
|-------|--|-----------------------------------|-----|-----|----------|-------|
| 1 | Slapped, kicked, punched, hit, or threatened you | 18% | 6% | 75% | 2% | 100% |
| | Called you names to put you down or make you feel bad | 20% | 10% | 69% | 2% | 100% |
| 10th | Insisted on knowing who you're with and where you are at all times | 19% | 10% | 69% | 2% | 100% |
| 10111 | Tried to control you by texting you all the time | 20% | 8% | 70% | 2% | 100% |
| | Destroyed something that belonged to you or that you liked very much | 20% | 3% | 76% | 2% | 100% |
| | Threatened or frightened your family or friends | 19% | 3% | 76% | 2% | 100% |
| | Slapped, kicked, punched, hit, or threatened you | 14% | 7% | 76% | 3% | 100% |
| 10 | Called you names to put you down or make you feel bad | 13% | 11% | 73% | 3% | 100% |
| 12th | Insisted on knowing who you're with and where you are at all times | 14% | 10% | 74% | 2% | 100% |
| 1201 | Tried to control you by texting you all the time | 14% | 8% | 75% | 2% | 100% |
| | Destroyed something that belonged to you or that you liked very much | 14% | 6% | 79% | 2% | 100% |
| | Threatened or frightened your family or friends | 14% | 4% | 82% | 1% | 100% |

(5) Academic and School Experiences

TRUANCY: About how many days are you absent from school during an entire year:

| | 10th | 12th |
|-------------------|------|------|
| 0-9 days | 82% | 68% |
| 10-19 days | 14% | 24% |
| 20-30 days | 3% | 6% |
| More than 30 days | 1% | 2% |
| Total | 100% | 100% |

ACTIVITIES AND OPPORTUNITIES: In which of the following activities do you participate:

| | 10th | | 12th | |
|---|------|-----|------|-----|
| | % | N | % | N |
| School sports team | 59% | 349 | 50% | 250 |
| Other sports | 56% | 299 | 39% | 187 |
| Service clubs (e.g., scouting, 4H) | 35% | 174 | 30% | 140 |
| Other activity clubs (e.g., Boys & Girls, YMCA, etc.) | 39% | 196 | 41% | 194 |
| Service or volunteer projects | 55% | 287 | 49% | 232 |
| Church youth group or other faith-based youth group | 34% | 170 | 31% | 144 |
| Youth drug prevention leadership group | 6% | 28 | 7% | 30 |

ACTIVITIES AND OPPORTUNITIES: Participation in activities:

| | 10th | 12th |
|----------------------|------|------|
| 0 activities | 9% | 14% |
| 1 activity | 25% | 26% |
| 2 or more activities | 67% | 60% |
| Total | 100% | 100% |

ACTIVITIES AND OPPORTUNITIES: On the average over the school year, how many hours per week do you work in a paid or unpaid job:

| | 10th | 12th |
|--------------------|------|------|
| None | 57% | 43% |
| 5 or less hours | 27% | 24% |
| 6 to 10 hours | 8% | 13% |
| 11 to 15 hours | 3% | 7% |
| 16 to 20 hours | 2% | 5% |
| 21 to 25 hours | 1% | 2% |
| 26 to 30 hours | 1% | 2% |
| More than 30 hours | 2% | 5% |
| Total | 100% | 100% |

ACTIVITIES AND OPPORTUNITIES: Participation in activities and/or work:

| | 10th | 12th |
|-----------------------------------|------|------|
| No activities and no work | 5% | 7% |
| No activities but work | 3% | 6% |
| At least one activity but no work | 52% | 35% |
| At least one activity and work | 40% | 51% |
| Total | 100% | 100% |

ACADEMIC ACHIEVEMENT: Putting them all together, what were your grades like for the last year:

| | 10th | 12th |
|----------------|------|------|
| Mostly A | 24% | 24% |
| Mostly A and B | 39% | 44% |
| Mostly B | 7% | 9% |
| Mostly B and C | 21% | 13% |
| Mostly C | 4% | 6% |
| Mostly C and D | 3% | 3% |
| Mostly D | 2% | 1% |
| Mostly F | 1% | 1% |
| Total | 100% | 100% |

ACADEMIC EXPECTATIONS: How likely is it that you will complete a post high school program such as vocational training program, military service, community college, or 4-year college:

| TO A STATE | 10th | 12th |
|---------------------|------|------|
| Definitely will not | 4% | 6% |
| Probably will not | 2% | 1% |
| Probably will | 17% | 7% |
| Definitely will | 68% | 81% |
| Not sure | 7% | 5% |
| Total | 100% | 100% |

SCHOOL CLIMATE/CARING ADULTS: At my school, there is a teacher or some other adult:

| | entered a polymer to the eff arm also I would state | Not at all true | A little true | Pretty much true | Very much true | Total |
|------|---|-----------------|---------------|------------------------|----------------------|-------|
| | Who really cares about me | 9% | 25% | 31% | 35% | 100% |
| 100 | Who notices when I'm not there | 9% | 24% | 32% | 35% | 100% |
| 10th | Who listens to me when I have something to say | 5% | 18% | 36% | 42% | 100% |
| | Who notices if I have trouble learning something | 10% | 27% | 34% | 30% | 100% |
| | Who really cares about me | 6% | 17% | 29% | 48% | 100% |
| 4011 | Who notices when I'm not there | 7% | 18% | 32% | 43% | 100% |
| 12th | Who listens to me when I have something to say | 5% | 13% | 33% | 49% | 100% |
| | Who notices if I have trouble learning something | 10% | 23% | 34% | 32% | 100% |

SCHOOL CLIMATE/HIGH EXPECTATIONS: At my school, there is a teacher or some other adult:

| | | Not at all true | A little true | Pretty much true | Very much true | Total |
|------|--|-----------------|------------------|------------------------|----------------------|-------|
| | Who tells me when I do a good job | 7% | 16% | 32% | 45% | 100% |
| 10th | Who always wants me to do my best | 4% | 11% | 29% | 55% | 100% |
| | Who believes I will be a success | 5% | 15% | 29% | 51% | 100% |
| | Who encourages me to work hard in school | 5% | 13% | 29% | 53% | 100% |
| | Who tells me when I do a good job | 8% | 16% | 35% | 42% | 100% |
| 4046 | Who always wants me to do my best | 5% | 11% | 30% | 53% | 100% |
| 12th | Who believes I will be a success | 6% | 11% | 30% | 52% | 100% |
| | Who encourages me to work hard in school | 6% | 11% | 32% | 50% | 100% |

SCHOOL CLIMATE/MEANINGFUL PARTICIPATION: How true are the following statements:

| | en en un un la | Not at all true | A little true | Pretty much true | Very much true | Total |
|------|---|-----------------|---------------|------------------------|----------------------|-------|
| | At school, I do interesting activities | 15% | 28% | 31% | 27% | 100% |
| 10th | 10th At school, I help decide things like class activities or rules | | 32% | 15% | 7% | 100% |
| | At school, I do things that make a difference | 34% | 37% | 20% | 10% | 100% |
| | At school, I do interesting activities | 15% | 26% | 31% | 27% | 100% |
| 12th | At school, I help decide things like class activities or rules | 45% | 28% | 16% | 11% | 100% |
| | At school, I do things that make a difference | 32% | 31% | 20% | 17% | 100% |

SCHOOL CLIMATE/SCHOOL CONNECTEDNESS: How strongly do you agree or disagree with the following statements about your school:

| | | Strongly disagree | Disagree | Neither agree nor disagree | Agree | Strongly agree | Total |
|------|---|----------------------|----------|-------------------------------------|-------|-------------------|-------|
| Te l | I feel close to people at this school | 8% | 9% | 20% | 43% | 21% | 100% |
| 10th | I am happy to be at this school | 9% | 12% | 26% | 36% | 17% | 100% |
| | I feel safe in my school | 3% | 9% | 27% | 45% | 16% | 100% |
| | The teachers at this school treat students fairly | 8% | 15% | 29% | 34% | 13% | 100% |
| | I feel close to people at this school | 9% | 9% | 17% | 40% | 26% | 100% |
| 400 | I am happy to be at this school | 11% | 13% | 23% | 35% | 17% | 100% |
| 12th | I feel safe in my school | 4% | 5% | 19% | 45% | 26% | 100% |
| | The teachers at this school treat students fairly | 7% | 16% | 27% | 35% | 15% | 100% |

During the past 30 days, how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school:

| | 10th | 12th |
|----------------|------|------|
| 0 days | 95% | 95% |
| 1 day | 2% | 1% |
| 2 or 3 days | 1% | 2% |
| 4 or 5 days | 0% | 1% |
| 6 or more days | 1% | 1% |
| Total | 100% | 100% |

During the past 12 months, how many times on school property have you been in a physical fight:

| | 10th | 12th | | | | |
|-----------------|------|------|--|--|--|--|
| 0 times | 92% | 94% | | | | |
| 1 time | 4% | 3% | | | | |
| 2 or 3 times | 3% | 2% | | | | |
| 4 or more times | 1% | 1% | | | | |
| Total | 100% | 100% | | | | |

(6) Mental, Social and Physical Health

During the past 12 months did you ever:

| | 10 | 10th | | 2th |
|--|-----|------|-----|-----|
| | % | N | % | N |
| Seriously consider attempting suicide | 17% | 105 | 14% | 78 |
| Feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities | 29% | 183 | 20% | 114 |

is there an adult you know (other than your parent) you could talk to about important things in your life:

| | No | Yes, one adult | Yes, more than one adult | Total |
|------|-----|----------------|--------------------------------------|-------|
| 10th | 23% | 21% | 56% | 100% |
| 12th | 14% | 21% | 65% | 100% |

How old were you the first time you gambled (bet money or something of value on sports, a game of chance or skill, played the lottery or bet cards or dice games):

| | 10th | 12th |
|---------------|------|------|
| Never | 57% | 51% |
| 10 or younger | 17% | 17% |
| 11 | 5% | 5% |
| 12 | 5% | 4% |
| 13 | 6% | 6% |
| 14 | 5% | 3% |
| 15 | 4% | 5% |
| 16 | 2% | 3% |
| 17 or older | 0% | 5% |
| Total | 100% | 100% |

In the last 30 days, have you gambled for money or anything of value:

| | 10th | 12th |
|-------|------|------|
| Yes | 16% | 21% |
| No | 84% | 79% |
| Total | 100% | 100% |

Average (mean) age when first gambled for money or something of value:

| 12th | | | | |
|------|-----|--|--|--|
| Avg | 2 | | | |
| 12.5 | 257 | | | |

If you have gambled for money in the past 12 months, how have you gambled:

| | 10 | th | 12th | |
|--|-----|-----|------|-----|
| | % | N | % | N |
| I didn't gamble for money | 56% | 357 | 52% | 290 |
| At someone's house | 21% | 136 | 24% | 133 |
| Casino or riverboat | 1% | 8 | 2% | 14 |
| Internet | 1% | 8 | 2% | 12 |
| Person-To-Person betting with another teen | 22% | 138 | 21% | 120 |
| Person-To-Person betting with an adult | 10% | 67 | 12% | 68 |
| Lottery tickets (including "scratch-offs") | 9% | 56 | 17% | 98 |

Average (mean, median) height and weight:

| | 10th | | | 12th | | |
|--------------------|-------|--------|-----|-------|--------|-----|
| 1 | Mean | Median | N | Mean | Median | N |
| Height (in feet) | 5.6 | 5.6 | 585 | 5.7 | 5.7 | 535 |
| Weight (in pounds) | 148.0 | 135.0 | 578 | 154.6 | 145.0 | 527 |

BMI (Body Mass Index) Categories based on CDC guidelines:

| | 101 | th | 12th | | |
|----------------|------|-----|------|-----|--|
| | % | N | % | N | |
| Underweight | 2% | 8 | 4% | 18 | |
| Healthy weight | 80% | 419 | 80% | 391 | |
| Overweight | 12% | 65 | 10% | 51 | |
| Obese | 6% | 33 | 6% | 27 | |
| Total | 100% | 525 | 100% | 487 | |

How do you describe your weight:

| | 10th | 12th |
|------------------------|------|------|
| Very underweight | 1% | 2% |
| Slightly underweight | 14% | 15% |
| About the right weight | 62% | 61% |
| Slightly overweight | 19% | 19% |
| Very overweight | 4% | 4% |
| Total | 100% | 100% |

In a typical week, how often do you and your parent(s) or guardian(s) eat dinner together:

| | 10th | 12th |
|--------|------|------|
| Never | 10% | 12% |
| 1 day | 7% | 8% |
| 2 days | 8% | 10% |
| 3 days | 13% | 15% |
| 4 days | 11% | 16% |
| 5 days | 23% | 20% |
| 6 days | 15% | 10% |
| 7 days | 14% | 9% |
| Total | 100% | 100% |

During the past 7 days, how many times did you:

| | | 0 times during the past 7 days | 1 to 3 times during the past 7 days | 4 to 6 times during the past 7 days | 1 time per day | 2 times per day | 3 times per day | 4 or more times per day | Total |
|------|----------------|---|---|---|-------------------|--------------------|--------------------|----------------------------------|-------|
| 404 | Eat fruit | 3% | 15% | 22% | 11% | 24% | 13% | 11% | 100% |
| 10th | Eat vegetables | 4% | 19% | 20% | 19% | 20% | 10% | 8% | 100% |
| 1011 | Eat fruit | 3% | 17% | 20% | 14% | 24% | 13% | 9% | 100% |
| 12th | Eat vegetables | 4% | 15% | 23% | 22% | 19% | 11% | 7% | 100% |

During the past 7 days, how many glasses of milk did you drink:

| | 10th | 12th |
|---|------|------|
| I did not drink milk during the past 7 days | 19% | 21% |
| 1 to 3 glasses during the past 7 days | 22% | 23% |
| 4 to 6 glasses during the past 7 days | 13% | 11% |
| 1 glass per day | 13% | 15% |
| 2 glasses per day | 16% | 14% |
| 3 glasses per day | 8% | 9% |
| 4 or more glasses per day | 8% | 6% |
| Total | 100% | 100% |

On an average school day, how many hours do you watch TV:

| | 10th | 12th |
|--|------|------|
| I do not watch TV on an average school day | 19% | 13% |
| Less than 1 hour per day | 20% | 19% |
| 1 hour per day | 18% | 21% |
| 2 hours per day | 21% | 21% |
| 3 hours per day | 11% | 14% |
| 4 hours per day | 5% | 6% |
| 5 or more hours per day | 6% | 6% |
| Total | 100% | 100% |

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day:

| | 10th | 12th |
|--------|------|------|
| 0 days | 7% | 7% |
| 1 day | 5% | 7% |
| 2 days | 9% | 11% |
| 3 days | 12% | 12% |
| 4 days | 11% | 10% |
| 5 days | 17% | 16% |
| 6 days | 13% | 13% |
| 7 days | 27% | 23% |
| Total | 100% | 100% |

Summary Charts

Summary charts provide a snapshot of selected health and social indicators. All charts provide grade-level data. Some charts illustrate comparisons between one grade level of *Your Students in 2012* with the same grade level in a statewide random sample of *Illinois Students in 2010* (as noted in the introduction to your report). Other charts provide a comparison of *Your Students in 2012* across all grades surveyed to easily surface developmental trends.

Your report may not contain the full array of charts listed below. As noted in the introduction to your report, there will be NO DATA presented in this report for any grade level with fewer than 10 valid surveys in order to protect the confidentiality of your students. In addition, the IYS 6th and 8th grade forms contain a subset of the questions asked on the IYS high school form. As a result, some of the charts listed below may not be included in your report. Information about the availability of grade-specific charts or data is defined for each chart below. If an item within a chart is not displayed for a grade level (most often 6th and 8th grades), a footnote is included on the chart to explain.

Substance Use Behaviors and Consequences

Substance Use in the Past Year

- Separate chart displayed for each grade level surveyed
- Your Students in 2012 compared to Illinois Students in 2010

Substance Use in the Past 30 Days

- · Separate chart displayed for each grade level surveyed
- Your Students in 2012 compared to Illinois Students in 2010

Average Age of First Use: Among 12th Graders Having Ever Used the Drug

- ONLY reported for 12th graders
- Your Students in 2012 compared to Illinois Students in 2010

First Use Before Age 15: Among 12th Graders Having Ever Used the Drug

- ONLY reported for 12th graders
- Your Students in 2012 compared to Illinois Students in 2010

Source of Alcohol in the Past Year: Among Alcohol Users

- Separate chart displayed for each grade level surveyed (these items are not included on the IYS 6th grade form)
- Your Students in 2012 compared to Illinois Students in 2010
- Note that alcohol sources are classified into types based on responses to a specific set of questions on the IYS. To
 determine what items are included in each type of alcohol source, refer to the relevant tables in the "Drug Use
 Contributing Factors" section of this report.

Source of Tobacco in the Past Year: Among Tobacco Users

- Separate chart displayed for each grade level surveyed (these items are not included on the IYS 6th grade form)
- Your Students in 2012 compared to Illinois Students in 2010
- Note that tobacco sources are classified into types based on responses to a specific set of questions on the IYS.
 To determine what items are included in each type of tobacco source, refer to the relevant tables in the "Drug Use Contributing Factors" section of this report.

Driving Under the Influence in the Past Year

- Separate chart displayed for each grade level surveyed (NOT included on the IYS 6th grade or 8th grade forms)
- Your Students in 2012 compared to Illinois Students in 2010

High School Students Who May Benefit from an Individual Substance Abuse Assessment: By Grade in 2012

- One chart displaying all grade levels surveyed (NOT included on the IYS 6th grade or 8th grade forms)
- No comparisons between Your Students in 2012 and Illinois Students in 2010 are available because the questions from the CRAFFT Screening Tool are new in the 2012 IYS.

Interpersonal Violence and Safety

Bullying Victimization in the Past 12 Months

- · Separate chart displayed for each grade level surveyed
- Your Students in 2012 compared to Illinois Students in 2010

Extent of Bullying in the Past 12 Months: By Grade in 2012

- One chart displaying all grade levels surveyed
- No comparisons between Your Students in 2012 and Illinois Students in 2010 are available because one additional form of bullying (cyber-bullying) is new in the 2012 IYS, making the 2010 vs. 2012 summaries incomparable.

Bias-Based Bullying Victimization in the Past 12 Months: By Grade in 2012

- One chart displaying all grade levels surveyed
- No comparisons between Your Students in 2012 and Illinois Students in 2010 are available because the bias-based bullying questions are new in the 2012 IYS.

Dating Violence in the Past 12 Months By Grade

- Dating Violence is defined as being "punched, hit or threatened in a dating relationship."
- One chart displaying all grade levels surveyed (NOT asked on the 6th grade IYS form)
- Your Students in 2012 compared to Illinois Students in 2010

School Climate

Student Perceptions of School Climate Mean Scores

- Separate chart displayed for each grade level surveyed
- Your Students in 2012 compared to Illinois Students in 2010
- In order to compare perceptions across different dimensions of school climate, a mean score for each school climate scale (Caring Adults, High Expectations, Meaningful Participation, and School Connectedness) is adjusted to a 4-point scale, where "1"= the least positive and "4"= the most positive perception. To determine what IYS questions are included in each school climate scale, refer to the relevant tables in the "Academic and School Experiences" section of this report.

Student Perceptions of School Climate Mean Scores: By Grade in 2012

- One chart displaying all grade levels surveyed
- In order to compare perceptions across different dimensions of school climate, a mean score for each school climate scale (*Caring Adults, High Expectations, Meaningful Participation, and School Connectedness*) is adjusted to a 4-point scale, where "1"= the least positive and "4"= the most positive perception. To determine what IYS questions are included in each school climate scale, refer to the relevant tables in the "Academic and School Experiences" section of this report.

Mental and Physical Health

Mental Health Concerns in the Past 12 Months

- Separate chart displayed for each grade level surveyed (NOT asked on the IYS 6th grade form)
- Your Students in 2012 compared to Illinois Students in 2010

Prevalence of Obesity According to BMI

- Obesity is defined by the Centers for Disease Control based on Body Mass Index (BMI) as calculated by a selfreported height and weight ratio for age and gender
- · One chart displaying all grade levels surveyed
- Your Students in 2012 compared to Illinois Students in 2010

Nutrition Behavior

- · Separate chart displayed for each grade level surveyed
- Your Students in 2012 compared to Illinois Students in 2010


Frequency of Physical Activity

- Separate chart displayed for each grade level surveyed
- Your Students in 2012 compared to Illinois Students in 2010

Sedentary Activity: TV Watching Behavior

- One chart displaying all grade levels surveyed
- Your Students in 2012 compared to Illinois Students in 2010


Substance Use in the Past Year Among 10th Grade Youth



■ Your Students 2012 ☐ Illinois Students 2010

^{*} Questions not asked on IYS 6th grade form


Substance Use in the Past Year Among 12th Grade Youth



■ Your Students 2012 ☐ Illinois Students 2010


^{*} Questions not asked on IYS 6th grade form

Substance Use in the Past 30 Days Among 10th Grade Youth




^{* 5} or more drinks at one sitting in the past two weeks

Substance Use in the Past 30 Days Among 12th Grade Youth




^{* 5} or more drinks at one sitting in the past two weeks

Average Age of First Use Among 12th Graders Having Ever Used the Drug*




^{*}Refer to the "Drug Prevalence and Behaviors" section of your report in the table entitled **DRUG INITIATION AMONG THOSE WHO EVER USED EACH DRUG: Average (mean) age** to identify the number (N) of students who have ever used each drug (a subset of students surveyed).

First Use Before Age 15 Among 12th Graders Having Ever Used the Drug*




^{*}Refer to the "Drug Prevalence and Behaviors" section of your report in the table entitled **DRUG INITIATION AMONG THOSE WHO EVER USED EACH DRUG: Average (mean) age** to identify the number (N) of students who have ever used each drug (a subset of students surveyed).

Source of Alcohol in the Past Year Among 10th Grade Alcohol Users*




^{*}Refer to the "Drug Use Contributing Factors" section of your report in the table entitled **ALCOHOL SOURCE TYPE ONLY AMONG ALCOHOL USERS IN THE PAST YEAR** to identify the number (N) of students who have used alcohol in the past year (a subset of students surveyed).

Source of Alcohol in the Past Year Among 12th Grade Alcohol Users*




^{*}Refer to the "Drug Use Contributing Factors" section of your report in the table entitlted **ALCOHOL SOURCE TYPE ONLY AMONG ALCOHOL USERS IN THE PAST YEAR** to identify the number (N) of students who have used alcohol in the past year (a subset of students surveyed).

Source of Tobacco in the Past Year Among 10th Grade Tobacco Users*




^{*}Refer to the "Drug Use Contributing Factors" section of your report in the table entitlted **TOBACCO SOURCE TYPE ONLY AMONG TOBACCO USERS IN THE PAST YEAR** to identify the number (N) of students who have used alcohol in the past year (a subset of students surveyed).

Source of Tobacco in the Past Year Among 12th Grade Tobacco Users*




^{*}Refer to the "Drug Use Contributing Factors" section of your report in the table entitlted **TOBACCO SOURCE TYPE ONLY AMONG TOBACCO USERS IN THE PAST YEAR** to identify the number (N) of students who have used alcohol in the past year (a subset of students surveyed).


Driving Under the Influence in the Past Year Among 10th Grade Youth



Driving Under the Influence in the Past Year Among 12th Grade Youth




High School Students Who May Benefit from an Individual Substance Abuse Assessment* By Grade in 2012




*According to their responses to the CRAFFT Screening questions

Bullying Victimization in the Past 12 Months Among 10th Grade Youth




^{*}Question was not included on any 2010 IYS form, therefore no state comparisons can be made

Bullying Victimization in the Past 12 Months Among 12th Grade Youth



^{*}Question was not included on any 2010 IYS form, therefore no state comparisons can be made


Extent of Bullying in the Past 12 Months By Grade in 2012



^{*}Victimized in ONE OR MORE of the following ways: called names, threatened, physically assaulted, cyber-bullied


^{**} Victimized in ALL of the following ways: called names, threatened, physically assaulted, cyber-bullied

Bias-Based Bullying Victimization in the Past 12 Months By Grade in 2012




^{*} Question asked only on IYS high school form

Dating Violence* in the Past 12 Months By Grade




^{*} Punched, hit, or threatened in a dating relationship


Student Perceptions of School Climate Mean Scores Among 10th Grade Youth




Student Perceptions of School Climate Mean Scores Among 12th Grade Youth



Student Perceptions of School Climate Mean Scores By Grade in 2012




Mental Health Concerns in the Past 12 Months Among 10th Grade Youth




^{*} Question asked only on IYS high school form

Mental Health Concerns in the Past 12 Months Among 12th Grade Youth




^{*} Question asked only on IYS high school form

Prevalence of Obesity* According to BMI By Grade




*As defined by the Centers for Disease Control based on Body Mass Index for age and gender

Nutrition Behavior Among 10th Grade Youth




■ Your Students 2012 ☐ Illinois Students 2010


Nutrition Behavior Among 12th Grade Youth




Frequency of Physical Activity Among 10th Grade Youth



Frequency of Physical Activity Among 12th Grade Youth



Sedentary Activity: TV Watching Behavior* By Grade



■ Your Students 2012 ☐ Illinois Students 2010

^{*} Watched TV 3 or more hours per day on an average school day